

Entry level all-rounder for every business

Ensure an optimised workflow with the ECOSYS PA2100cwx series.



ECOSYS PA2100cwx / ECOSYS PA2100cx

Color Printer for A4 Format

Born to be extraordinary.

KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds in developing document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

Optimise your business with ECOSYS PA2100cwx series.

With consistent high quality, high efficiency and long-term reliability, this entry-level professional printer is the ideal device for every-size businesses on printing.


- + 1200x1200 dpi print resolution
- + EcoPrint & Quiet mode options
- + Wireless & Wi-Fi Direct*
- + Up to 21 pages per minute
- + Low printing costs in its class

* ECOSYS PA2100cwx only.



Excellent Image Quality

The ECOSYS PA2100cwx series delivers realistic image with high printing resolution at 1,200dpi. With optimized color processing, it produces amazing-quality, vibrant-colored images. You will enjoy sharp, detailed print performance even in fine lines and small characters, giving your image a bright and vivid impression along with the realistic texture.



Advanced Security Protection

The ECOSYS PA2100cwx series is ideal for use in the office or home office thanks to its sophisticated network security features. Preventing improper access with such as SSL, IPsec. With "Private Print", it enables secure print jobs with preset password request at the device (Require additional memory). It also supports authentication management among departments via IC Card.



Environmentally Friendly

The ECOSYS PA2100cwx series provides you long-last and environmentally friendly printing solution at an economical cost with incredibly durable long-life internal components. Moreover, our eco-friendly toner can be attached to the paper at low temperature, reducing the power consumption during printing. Lowering running costs and with significantly less waste during the product lifetime does not help to boost your eco-credentials, you also save on your energy bills!

| Main Specifications | | | |
|--|--|--|------------------|
| Model | ECOSYS PA2100cx | | ECOSYS PA2100cwx |
| Type | Desktop | | |
| Writing Method | Semiconductor Laser | | |
| Print Speed (A4) (Mono/Color) | 21/21 ppm | | |
| First Print Out Time (Mono/Color) | 11/12.5 seconds | | |
| Warm Up Time | 32 seconds | | |
| Resolution | 600 x 600 dpi, 1,200 x 1,200 dpi | | |
| Duplex | Auto | | |
| Control Panel | 2 lines LCD Panel | | |
| Power Consumption (Standard configuration) | Print Mode | 345W | |
| | Stand-by Mode | 33W | |
| | Sleep Mode | 0.9W | |
| Noise (ISO7779/ ISO9296) | Print Mode | 48dB(A); Quiet Mode: 44dB(A) | |
| | Stand-by Mode | 30dB(A) | |
| Dimension (W x D x H) (Main Unit) | 410mm x 410mm x 329mm | | |
| Weight (Main Unit) | Approx. 21 kg | | |
| Controller | | | |
| CPU | Cortex-A9 800MHz | | |
| Memory | Standard 512MB (Max. 512MB) | | |
| Interface | USB 2.0 High Speed x1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host x1; 802.11 b/g/n/Wireless LAN/WiFi Direct (ECOSYS PA2100cwx only) | | |
| PDL | PRESCRIBE, PCL6 (PCL5c, PCL-XL), KPDL3 (Postscript 3 compatible), PDF Direct Print | | |
| Network Printing | TCP/IP, NetBEUI, FTP, Port 9100, LPR, IPP, WSD Print, Apple Bonjour, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTP over SSL/TLS, FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS | | |
| USB Memory Printing | Standard | | |
| Mobile Application | KYOCERA Mobile Print, MyPanel, Print Service Plugin | | |
| Paper Handling | | | |
| Paper Capacity | Standard | 250 sheets x1 (Cassette) + 50 sheets (MPT) | |
| | Maximum | 550 sheets (Main Unit + PF-5110 x1 + MPT) | |
| Paper Size | Cassette | Min. A6R – Max. A4 (Legal) | |
| | MPT | Min. A6R – Max. A4 (Legal) | |
| Paper Weight | Cassette | 60 – 163 g/m ² | |
| | MPT | 60 – 220 g/m ² | |
| Duplex Printing | Paper size: A5R – A4/Legal; Paper weight: 60 – 120 g/m ² | | |
| Output Capacity | Max. 150 sheets face-down | | |
| Consumables & Options | | | |
| Toner Kit (Page Yield in accordance with ISO/IEC 19798) | TK-5445K : Black (2,800 pages) TK-5445C/M/Y : Cyan/Magenta/Yellow (2,400 pages) TK-5435K : Black (1,250 pages) TK-5435C/M/Y : Cyan/Magenta/Yellow (1,250 pages) | | |
| Capacity of Start Up Toner | Black 1,250 pages, Cyan/Magenta/Yellow 1,250 pages | | |
| Paper Feeder | PF-5110 : 250 sheets (Max. x1) | | |
| Card Authentication | Card Authentication Kit(B) | | |



KYOCERA Document Solutions Asia Limited

13/F, Mita Centre, 552-566 Castle Peak Road,
Tsuen Wan, N.T., Hong Kong
Tel : +852-2496-5678 / Fax: +852-2610-2063

www.kyoceradocumentsolutions.asia